

RECEIVED  
CENTRAL FAX CENTER

MAR 16 2005



GlaxoSmithKline

**FAX**

To Examiner S.J.N. Dev/Art Unit 16:5  
.....  
Company United States Patent & Trademark Office  
.....  
Fax (571) 273-8300  
.....  
From Audrey Boyd for Jeffrey A. Sutton  
.....  
Fax (610) 270-5090  
.....  
Tel 610-270-6316  
.....  
E-mail Jeffrey.A.Sutton@gsk.com  
Audrey.A.Boyd@gsk.com  
.....  
Date March 16, 2005 Pages including cover 17  
.....  
Subject Patent Application No.: 09/719,379  
Filed: June 4, 2001  
Attorney Docket No.: B45145  
Replacement Drawings  
.....

GlaxoSmithKline  
Corporate Intellectual Property-US  
P.O. Box 1539  
709 Swedeland Road  
King of Prussia, PA  
19406-0939

Tel: 610-270-6316  
Fax: 610-270-5090  
www.gsk.com

Examiner Dev:


Submitted herewith for your consideration are formal drawings for the above-identified application. Please do not hesitate to contact me if you have any further questions.

Sincerely,

Jeffrey A. Sutton  
Registration No. 34,028  
Corporate Intellectual Property  
GlaxoSmithKline

BEST AVAILABLE COPY

Applicant No. 09/719,379  
Replacement Sheet



NdeI

CTCTTCACATTCAGCCCTTAAATAAGGCTCAATTAATTAACCTACACCTTACGGAGGTATATACATA

P M

BamHI NcoI BbrPI BclI SacI SpeI

TGGATCCCATGGCCACGTGTGATCAGAGCTCAACTAGTGGCCACCATCACCATCACCA

Met Asp Pro Met Ala Thr Cys Asp Gln Ser Ser Thr Ser Gly His His His His His His

XbaI

TTAATCTAGAAATCGTAAGCTTGGACCGATGCG

g...

FIG. 1









Appl. No. 09/719,379  
Replacement Sheet




FIG. 6

Appl. No. 09/719,379  
Replacement Sheet




FIG. 7



Appl. No. 09/719,379  
Replacement Sheet




FIG. 8

Appl. No. 09/719,379  
Replacement Sheet




FIG. 9

Appl. No. 09/719,379  
Replacement Sheet




FIG. 10

Appln. No. 09/719,379  
Replacement Sheet




FIG. 11

Appln. No. 09/719,379  
Replacement Sheet




FIG. 12A




FIG. 12B

Appl. No. 09/719,379  
Replacement Sheet





FIG. 13

Appl. No. 09/719,379  
Replacement Sheet



**FIG. 14**

Appl. No. 09/719,379  
Replacement Sheet

day	LPD-LB1(7)213/86-028NP	LB1/86-028NP	LB1/1885MEE	LPD-LB1(7)213/1885MEE	Sham/86-028NP	Sham/1885MEE
1	86	75	100	100	100	100
4	56	50	100	100	78	100
7	29	50	80	63	44	71
10	11	17	38	56	44	50
14	11	0	38	44	40	43
18	0	0	13	30	20	25
21	0	0	13	20	11	13
28	0	0	13	20	20	13
35	0	0	13	10	10	13

data updated on 5-5-99 by BJK

□	LPD-LB1(7)213/86-028NP
□	LB1/86-028NP
■	LB1/1885MEE
□	LPD-LB1(7)213/1885MEE
■	Sham/86-028NP
□	Sham/1885MEE

FIG. 15



# Group B Comparison of Percent Otitis Media between Cohorts




FIG. 16

Application No. 09/719,379  
Replacement Sheet

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**